

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|-------------------|------------------|---------|------------------|
| L1 | 6561 | ((713/152) or (713/155) or (713/158) or (713/165) or (713/175-176) or (380/1) or (380/37) or (380/54) or (380/229) or (380/232) or (382/100) or (382/132) or (705/57-59) or (726/2) or (726/16) or (726/30)). CCLS. | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L2 | 3033 | L1 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6)) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L3 | 88523 | (generat\$4 predefin\$9 predetermin\$9 pre-defin\$9 pre-determin\$9 creat\$4) near4 (message\$1 instruct\$4) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L4 | 2415 | L2 and (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L5 | 901 | L4 and L3 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L6 | 81680 | (input\$4 output\$4 issu\$4 requir\$6 necessar\$5 necessit\$5) near4 (signature\$1 signed signing encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L7 | 20 | L5 and (call near3 handl\$3) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L8 | 18 | L7 and request\$4 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L9 | 3033 | (message\$1) near9 (associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near9 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L10 | 1307 | L9 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6)) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L11 | 971 | L10 and ((input\$4 output\$4 issu\$4 requir\$6 necessar\$5 necessit\$5) near8 (signature\$1 signed signing encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5)) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L12 | 429 | (socket\$1) and (request\$4 near5 handl\$4) and (call near6 handl\$3) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L13 | 389 | L12 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6)) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |

09/591,708

EAST Search History

| | | | | | | |
|-----|-------|--|-------------------|----|-----|------------------|
| L14 | 4492 | (message\$1 packet\$6 datagram\$3) near9 (associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near9 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L15 | 2 | L13 and L14 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L16 | 88222 | (input\$4 output\$4 issu\$4 requir\$6 necessar\$5 necessit\$5) near5 (signature\$1 signed signing encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L17 | 9 | L8 and kernel\$1 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L18 | 4202 | (message\$1 packet\$6 datagram\$3 instruct\$4) near6 (predefin\$6 pre-defin\$6 associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near6 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L19 | 2808 | L16 and L18 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L20 | 63 | L19 and (call near9 handl\$3) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L21 | 3 | L20 and socket\$1 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L22 | 223 | L19 and socket\$1 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L23 | 121 | L22 and call\$1 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L24 | 129 | L22 and call\$3 and handl\$3 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L25 | 9 | L24 and kernel\$1 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L26 | 8 | L25 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6)) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L27 | 9 | L17 and socket\$1 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L28 | 32 | (socket\$1 near3 handl\$4) and (request\$4 near3 handl\$4) and (call near3 handl\$3) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |

EAST Search History

| | | | | | | |
|-----|-------|---|-------------------|----|-----|------------------|
| L29 | 28 | L28 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6)) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L30 | 11 | L29 and L3 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L31 | 18992 | L6 and ((run\$4 exe\$1 execut\$6) near5 (application\$1 program\$6)) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L32 | 6078 | L31 and L3 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L33 | 907 | L32 and socket\$1 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L34 | 90 | L33 and (call near3 handl\$3) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L35 | 4064 | (message\$1 instruct\$4) near9 (associat\$4 accord\$4 correspond\$4 respective\$2 known predetermin\$6 pre-determin\$6 prestor\$4 pre-stor\$4) near9 (encrypt\$4 crypto\$9 encod\$4 encipher\$9 decrypt\$8 decipher\$9 algrithm\$5) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L36 | 90 | L34 and request\$4 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L37 | 1 | L35 and L36 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L38 | 45 | L11 and (call near9 handl\$3) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L39 | 10 | L38 and socket\$1 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L40 | 10 | L39 and message\$1 | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:00 |
| L41 | 14 | jacobs near3 stuart | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:12 |
| L42 | 0 | mannix near3 francis | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:12 |
| L43 | 7 | christoffel near3 thomas | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:12 |
| L44 | 0 | belgard near3 scott | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:13 |
| L45 | 0 | (41 43) and (kernel\$1) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:14 |
| L46 | 14 | (41 43) and (call near3 hand\$3) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:16 |
| L47 | 0 | (41 43) and (call and socket\$1) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:16 |
| L48 | 16 | (41 43) and (call\$3 socket\$1) | USPAT; IBM_TDB | OR | OFF | 2008/01/28 19:16 |